



xcellent
SPARK



SPARK Chandelier

DESCRIPTION

How to give a gorgeous crystal lamp a modern spirit is the starting point of SPARK, bright branches swirling to spark-like blooming, to present internalized simplicity the style of XcellentDesign. More than 1 meter diameter chandelier organized by 16 luminous rectangle light plate shows up the unique dazzling. The long version is up to 1.1 meter high is suitable for high ceiling room, alternatively, the short versions around 0.7 meter of 10 pieces light plate are also available for the normal ceiling.


FEATURE

- Invisible LED refraction through millions tiny lenses with gentle and glare free.
- The light is diffused to both side of light guide that balance the brightness discrepancy and reduce glare.
- Three dimension and specification offer more options for the specific demand.
- Each blade is rotatable to change its posture.
- Each blade unit can be separated, easy to package, install and replace.
- Two specifications to meet the demand of different space.

SPECIFICATION

Product	Spark S	Spark L
Model No.	XL02-010U	XL02-016U
Light Source	LED	LED
Power Consumption	30 Watt	44 Watt
Voltage	100~240V 50/60Hz	100~240V 50/60Hz
Color Temperature	2700K	2700K
Color Rendition	>=80CRI	>=80CRI
Lifespan	50,000+Hours	50,000+Hours
Canopy	Black Coating Steel Box	
Dimming	adapt to 110V LED Triac Dimmer (not included) or 0-10V Dimmer (not included)	
Net Weight	4.1kg (9lb)	5.8kg (12.8lb)

DIMENSION



DESIGNER

Ader Chen

MATERIAL

PMMA Light Guide
EDP Casting Aluminum
Painting Steel

FINISHES

Matte Black



Xcellent

3F, 111-32, Sec. 4, Sanho Road
SanChong District, New Taipei City
Taiwan 24152

www.xcellentdesign.com
service@xcellentdesign.com